

**IN THE UNITED STATES DISTRICT COURT
FOR THE NORTHERN DISTRICT OF INDIANA
HAMMOND DIVISION**

THE CITY OF CHICAGO,)	
)	
Plaintiff,)	Civil Action No. 2:18-cv-33
)	
v.)	JURY TRIAL DEMANDED
)	
UNITED STATES STEEL)	
CORPORATION,)	
)	
Defendant.)	

COMPLAINT

The City of Chicago (“City”), by its Corporation Counsel, Edward N. Siskel, files this Complaint under the Federal Water Pollution Control Act, commonly known as the Clean Water Act (“CWA”), 33 U.S.C. §§ 1251 *et seq.*, seeking relief against United States Steel Corporation (“U.S. Steel”), and in support states as follows:

NATURE OF THE ACTION

1. This action seeks to uphold the objective of CWA, to “restore and maintain the chemical, physical, and biological integrity of the Nation’s waters.” 33 U.S.C. § 1251(a). Specifically, the City aims to restore and maintain Lake Michigan, which U.S. Steel has harmed and continues to harm through repeated and significant violations of its CWA permit limitations and maintenance failures. These harmful and illegal acts include, but are not limited to, multiple excessive discharges of toxic chemicals into the body of water that supplies the City’s two water treatment plants, which serve as the source of drinking water for over 5 million people, over 40% of the population of the State of Illinois. U.S. Steel has repeatedly evaded responsibility for violating the CWA, and state and federal regulators have failed to enforce the law adequately. The City seeks to hold U.S. Steel responsible for the injuries it has caused to Lake Michigan and

the adverse impacts upon the City's interest in being able to provide drinking water to over 5 million people in Chicago and surrounding suburbs, uncontaminated by U.S. Steel's illegal discharges of pollutants into Lake Michigan. In addition, the City seeks to protect its crucial interests in Lake Michigan, a vital economic engine for the City, a beloved source of recreation and tourism for the City's residents and guests, and the City's aesthetic heart and soul.

2. This is a civil action for injunctive relief and civil penalties, brought under Section 505 of the CWA, 33 U.S.C. § 1365, against U.S. Steel for the discharge of pollutants in violation of Section 301 of the CWA, 33 U.S.C. § 1311, and in violation of the National Pollutant Discharge Elimination System ("NPDES") permits issued to U.S. Steel pursuant to Section 402 of the CWA, 33 U.S.C. § 1342. As a result, and as further alleged herein, U.S. Steel has violated the terms and conditions of its NPDES permits and has violated Sections 301(a) and 402(a) of the CWA, 33 U.S.C. §§ 1311(a), 1342(a).

3. The City seeks a declaratory judgment, injunctive relief, the imposition of civil penalties, damages, and the award of costs, including attorney and expert witness fees.

THE PARTIES

4. Plaintiff, the City is an Illinois municipal corporation and home rule unit of local government organized and existing under Article VII of the Constitution of the State of Illinois and the laws of Illinois, located in Cook County, Illinois.

5. Defendant, U.S. Steel is a corporation registered in the state of Delaware with its principal place of business in Pittsburgh, Pennsylvania.

JURISDICTION AND VENUE

6. This Court has jurisdiction over the subject matter of this action pursuant to Section 505(a) of the CWA, 33 U.S.C. § 1365(a)(1), and pursuant to federal question jurisdiction

under 28 U.S.C. § 1331. This Court also has supplemental jurisdiction under 28 U.S.C. §1367 with regard to the Sixth Claim For Relief (Negligence).

7. The relief requested is authorized pursuant to Sections 309 and 505(a) of the CWA, 33 U.S.C. §§ 1319 and 1365(a), and 28 U.S.C. §§ 2201 and 2202.

8. In compliance with Section 505(b)(1)(A) of the CWA, 33 U.S.C. § 1365(b)(1)(A), on November 20, 2017, the City gave notice of the violations specified in this Complaint and of the City's intent to file suit to U.S. Steel, the Administrator of the United States Environmental Protection Agency ("USEPA"), the Regional Administrator of USEPA, the United States Attorney General, the Indiana Department of Environmental Management ("IDEM"), and the Attorney General for the State of Indiana. The City's notice letter meets the requirements of 40 C.F.R. § 135.1 *et seq.* and provided U.S. Steel with notice of the CWA violations in this Complaint. A copy of the City's notice letter is attached hereto as **Exhibit A**.

9. More than sixty days have passed since the City's notice was served, and the violations complained of in the notice letter are continuing at this time or are reasonably likely to continue. U.S. Steel therefore remains in violation of its NPDES permit and the CWA.

10. Venue is proper in this District pursuant to Section 505(c)(1) of the CWA, 33 U.S.C. § 1365(c)(1), and pursuant to 28 U.S.C. §§ 1391(b) and (c) and 1395(a), because the U.S. Steel facility at issue is located in this District and the causes of the action alleged in this Complaint arose in this District.

STATUTORY AND REGULATORY BACKGROUND

a. The CWA's Citizen Suit Provisions

11. The City and U.S. Steel are "persons" pursuant to Section 502 of the CWA, 33 U.S.C. § 1362(5), which defines "person" as "an individual, corporation, partnership,

association, State, municipality, commission, or political subdivision of a State, or any interstate body.”

12. The City is a “citizen” pursuant to Section 505 of the CWA, 33 U.S.C. §§ 1365(a) and 1365(g), because it is a “person[] having an interest which is or may be adversely affected” by U.S. Steel’s illegal discharges.

13. U.S. Steel may be sued pursuant to Section 505 of the CWA, 33 U.S.C. § 1365(a), which authorizes any citizen to “commence a civil action . . . against any person . . . who is alleged to be in violation of an effluent standard or limitation.” “[T]he term ‘effluent standard or limitation’” includes “a permit or condition thereof issued under section 1342 of this title.” 33 U.S.C. § 1365(f).

b. The CWA’s NPDES Program

14. The purpose of the CWA is to “restore and maintain the chemical, physical, and biological integrity of the Nation’s waters.” 33 U.S.C. § 1251(a).

15. Section 101(a)(3) of the CWA prohibits “the discharge of toxic pollutants in toxic amounts.” 33 U.S.C. § 1251(a)(3).

16. Section 301 of the CWA, 33 U.S.C. § 1311(a), prohibits the “discharge of any pollutant by any person” into navigable waters except in compliance with a NPDES permit issued by the USEPA or an authorized state administrator pursuant to Section 402 of the CWA, 33 U.S.C. § 1342.

17. At all times relevant to this Complaint, IDEM has been and continues to be authorized by the USEPA to implement the NPDES permit program for discharges into navigable waters within its jurisdiction pursuant to 40 C.F.R. § 123.1.

18. Section 502 of the CWA defines “navigable waters” as “waters of the United States.” 33 U.S.C. § 1362(7).

19. Under Section 502 of the CWA, the term “discharge of a pollutant” includes “any addition of any pollutant to navigable waters from any point source.” 33 U.S.C. § 1362(12).

20. Section 502 of the CWA defines “pollutant” as “dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, and agricultural waste discharged into water.” 33 U.S.C. § 1362(6).

21. Section 502 of the CWA defines “point source” as “any discernible, confined and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged.” 33 U.S.C. § 1362(14).

22. Section 402 of the CWA, 33 U.S.C. § 1342(a), provides that a permit-issuing authority may “issue a [NPDES] permit for the discharge of any pollutant” into navigable waters of the United States, but only in compliance with the applicable requirements of Section 301 of the CWA, 33 U.S.C. § 1311, and such other conditions as the permit-issuing authority determines are necessary to carry out the provisions of the CWA.

23. NPDES permits establish “effluent limitations,” which are defined as “any restriction established by a State or the Administrator on quantities, rates, and concentrations of chemical, physical, biological, and other constituents which are discharged from point sources into navigable waters.” 33 U.S.C. § 1362(11).

24. Section 308 of the CWA, 33 U.S.C. § 1318, requires NPDES permittees to establish and maintain records; to install, use and maintain monitoring equipment; to sample

effluents; and to “make such reports” as required in the permit regarding permittees’ pollutant discharges.

25. Section 402(a)(2) of the CWA, 33 U.S.C. § 1342(a)(2), authorizes the Administrator to “prescribe conditions for [NPDES] permits to assure compliance . . . including conditions on data and information collection, reporting, and such other requirements as he deems appropriate.”

26. Failure to comply with any condition of a permit is a violation of Section 301 of the CWA, 33 U.S.C. § 1311, and is actionable under Section 505 of the CWA, 33 U.S.C. § 1365(a)(1).

c. Judicial Relief in CWA Citizen Suits

27. Section 505 of the CWA authorizes the district courts “to enforce such an effluent standard or limitation . . . and to apply any appropriate civil penalties under section 1319(d)” in suits filed by citizens pursuant to 33 U.S.C. § 1365(a).

28. Section 309 of the CWA, 33 U.S.C. § 1319(d), provides that “any person” who violates Section 301 of the CWA, 33 U.S.C. § 1311, or violates any permit condition or limitation in an NPDES permit issued pursuant to Section 402 of the CWA, 33 U.S.C. § 1342, “shall be subject to a civil penalty.”

29. Each exceedance of a daily effluent limitation shall be treated as a distinct violation, and each exceedance of a monthly average limit shall be treated as a violation for every day in the month in which the violation occurred.

30. Each separate violation of the CWA subjects the violator to a penalty of up to \$37,500 per day per violation for all violations occurring from January 12, 2009 through November 2, 2015, and up to \$52,414 per day for all violations that occurred after November 2,

2015, pursuant to Sections 309(d) and 505(a) of the CWA, 33 U.S.C. §§ 1319(d), 1365(a), and 40 C.F.R. §§ 19.1-19.4. *See also* 28 U.S.C. § 2461, 31 U.S.C. § 301.

31. Under the citizen suit provision of the CWA, Section 505, the court may also award “costs of litigation (including reasonable attorney and expert witness fees) to any prevailing or substantially prevailing party.” 33 U.S.C. § 1365(d).

GENERAL ALLEGATIONS

32. The City owns and operates two of the world’s largest conventional water treatment plants with a combined capacity of 2,100 million gallons per day. These two plants, operated by the City’s Department of Water Management (“DWM”), serve the City’s citizens, schools, health care facilities, food establishments and other businesses, as well as 125 surrounding Illinois communities. In total, the City provides drinking water to over 5 million people or over 40% of the population of Illinois.

33. Lake Michigan is the sole source of the water, which DWM, in accordance with state and federal drinking water laws and regulations, supplies for ultimate use and consumption by its citizens and other customers through conventional water treatment processes and a network of water mains and pipes consisting of approximately 4,400 miles in total.

34. At all times relevant to this Complaint, U.S. Steel has owned and operated a steel refinery known as the United States Steel Corporation, Gary Works – Midwest Plant at 6300 U.S. Highway 12, Portage, IN 46368 (“Midwest Plant”), which is located in Porter County.

35. The Midwest Plant is located on Burns Waterway, a small industrial ditch, into which the facility discharges both wastewater and stormwater, and which empties directly into Lake Michigan. U.S. Steel is responsible for processing its wastewater in accordance with the terms of its NPDES permit No. IN0000337.

36. U.S. Steel discharges wastewater into Burns Waterway a few hundred feet from where waters flowing from Burns Waterway enter Lake Michigan.

37. U.S. Steel has repeatedly violated pollutant-discharge and maintenance provisions in its permit during the past five years.

a. The April 2017 Illegal Discharge

38. In April 2017, a broken pipe or pipes and a corroded collection trough or troughs resulted in a spill, reported by U.S. Steel as consisting of approximately 350 pounds of total chromium, of which nearly 300 pounds was carcinogenic hexavalent chromium.

39. According to public reports, this spill began on April 10, 2017 and continued into April 11, 2017. Under USEPA oversight, U.S. Steel collected water samples on April 11th that showed levels of hexavalent chromium that were (i) hundreds of times greater than standards set to be protective of human health in Burns Waterway and (ii) more than double those standards at the point where Burns Waterway flows into Lake Michigan. Nonetheless, it appears that no samples were collected in Lake Michigan itself until April 12, 2017.

40. According to IDEM reports, U.S. Steel failed to notify any downstream users of the waters affected by the April 2017 chromium spill.

41. In response to U.S. Steel's April 2017 chromium spill, numerous public beaches were closed for several days, including the Portage Lakefront and the Indiana Dunes National Lakeshore.

42. Additionally, the public drinking water intake of Indiana American Water, serving the City of Portage, ceased drawing Lake Michigan water and remained shut down for nearly a week.

43. On the afternoon of Tuesday April 11, 2017, the City received notification from Illinois EPA of a hexavalent chromium spill into Lake Michigan from the U.S. Steel's plant in Portage, Indiana. Chromium and its components is a toxic pollutant under Section 307(a) of the CWA, 33 U.S.C. § 1317(a). 40 C.F.R. § 401.15.

44. Later that afternoon, DWM staff was mobilized for the purpose of implementing a plan of action to assess the threat posed by U.S. Steel's illegal discharge of hexavalent chromium to the City's Lake Michigan drinking water source and to DWM's water intake cribs nearest to the U.S. Steel plant in Portage, Indiana. The action plan called for: (i) every two hours sampling of the Eugene Sawyer Water Purification Plant ("SWPP") water intake crib, located approximately 20 miles west north west of the point where the Burns Waterway enters Lake Michigan, to identify any increase in hexavalent chromium levels at the crib; and (ii) initiation of a hexavalent chromium sampling survey of Lake Michigan water in the area between the mouth of the Burns Waterway and DWM's SWPP crib in order to track the direction, speed, and size of any advancing plume of hexavalent chromium contaminated water.

45. Laboratory results from Lake Michigan water samples collected by the City on April 12, 2017, showed that a plume of hexavalent chromium-contaminated water was migrating in a westerly direction toward the SWPP intake crib at levels well in excess of residual values normally recorded in the Lake by DWM.

46. Laboratory results from water samples collected by the City on April 13, 2017, showed that the plume of hexavalent chromium-contaminated water was continuing to migrate further west, advancing toward the SWPP intake crib at levels still well in excess of residual values normally recorded in the Lake by DWM.

47. Laboratory results from water samples collected by the City on April 14, 2017, showed that a plume of hexavalent chromium-contaminated water was still continuing to migrate further northwest toward the SWPP intake crib. While levels of hexavalent chromium were lower than the levels from the previous days' sampling, levels were still well in excess of residual values normally recorded in the Lake by DWM.

48. On or around April 15, 2017, the fifth day after U.S. Steel's illegal discharge of hexavalent chromium into Lake Michigan, laboratory results from water samples collected on April 15, 2017 revealed that hexavalent chromium levels had dissipated to residual levels.

49. The costs incurred by the City to sample, analyze, and monitor the potential adverse effects and threat posed by U.S. Steel's illegal hexavalent chromium discharge of April 10 – 11, 2017 were well in excess of \$75,000.

50. Prior to U.S. Steel's April 2017 illegal discharge of chromium, it had violated the chromium discharge limits set in its NPDES permit on at least two separate occasions in the preceding five years, including in January 2017.

b. The October 2017 Illegal Discharge

51. Sometime in October, 2017, on a date best known by U.S. Steel, U.S. Steel again illegally discharged an excessive amount of chromium. Despite a third-party contractor working for U.S. Steel observing a blue discharge with visible solids, U.S. Steel did not test to see how much of the total chromium discharged was comprised of the more toxic hexavalent chromium.

52. U.S. Steel did not notify anyone who might or actually did use Lake Michigan for recreation, drinking water, or other purposes of its October 2017 illegal chromium discharge. Instead, U.S. Steel notified only IDEM, and the company's written report requested that IDEM treat as confidential the information about the October 2017 discharge.

53. IDEM did not conduct an accident inspection related to the October 2017 incident until approximately three weeks later, on November 16.

54. According to public reports, neither U.S. Steel nor IDEM officials notified USEPA of the October exceedance. The Chicago Tribune reported that USEPA only learned of the October 2017 incident when a Tribune reporter requested USEPA's comment for an article on U.S. Steel's persistent CWA violations.

55. In October, 2017, the City learned from after-the-fact newspaper accounts of this additional illegal chromium discharge into Lake Michigan by US Steel's Midwest Plant. Unlike the illegal discharge of chromium in April, 2017, the City did not receive any notification from U.S. Steel or any regulatory agency concerning the unlawful October chromium discharge.

56. U.S. Steel's failure to report the spill and its failure to notify the public and the City prevented the City from initiating the timely surveillance actions necessary to assess the potential threat posed to the City's drinking water supply by a hazardous chemical and known human carcinogen. U.S. Steel's failure to notify the City of its unlawful chromium discharges poses an unreasonable and unacceptable threat to the City's drinking water source for over 5 million people.

57. The City is concerned by the threat to its public drinking source posed by U.S. Steel's illegal discharges. Specifically, U.S. Steel's unlawful discharges of chromium and other pollutants harm water quality in Lake Michigan in the vicinity where the City obtains water for drinking water purposes. U.S. Steel's unlawful discharges have directly and adversely threatened and adversely affected, and continue to threaten and adversely affect, the City's ability to provide safe drinking water to its over 5 million citizens and suburban water purchasers.

58. In addition, the City has a vital interest in maintaining the quality of Lake Michigan for purposes other than drinking water. Hotels and Navy Pier depend on the aesthetic quality of the Lake for guests, tourists, and conventioners. The City also receives revenues from, among other things, fishing, boating, hotels, restaurants, convention business, beachgoers, all of which would be adversely impacted by illegal discharges into the Lake.

59. The City also has an interest in when and how the City and the public receive notice of U.S. Steel's illegal discharges. Receiving early and timely notification is imperative to the City's ability to take effective actions to avoid having the City's water intake and distribution system contaminated by U.S. Steel's illegal discharges and to protect public health. U.S. Steel's failure to provide the City with timely notification of U.S. Steel's illegal discharges and other violations alleged herein pose an unacceptable and continuing risk of harm to the City's ability to provide safe drinking water to its over 5 million citizens and suburban water purchasers.

60. The adverse effects and threats to the City's use of Lake Michigan as a source of public drinking water for over 5 million people as alleged herein are directly traceable to the failures of U.S. Steel to comply with the terms of its NPDES permit.

61. The relief requested herein from the Court would serve to restore and maintain the chemical, physical, and biological integrity of Lake Michigan redress the threat to the interests of City in being able utilize the Lake as a source of drinking water for millions of people without being adversely affected by the illegal discharges of U.S. Steel.. The Court should enjoin U.S. Steel from further discharges in violation of law, and require U.S. Steel to expeditiously take all actions necessary to control its illegal discharges. In addition, the Court should impose a significant monetary penalty to ensure that U.S. Steel enjoys no economic benefit from the practices that led to these repeated violations and to serve as a meaningful deterrent for a

company as large as U.S. Steel. Thereby, U.S. Steel would control its discharges of chromium and other pollutants as required by law, improving the quality of the water used by the City, and addressing concerns about protecting the quality of Lake Michigan water used by the City to provide drinking water to over 5 million people.

VIOLATIONS OF QUANTITATIVE PERMIT LIMITS

62. NPDES Permit No. IN0000337 places limits on the quantity and concentration of pollutants that U.S. Steel is legally permitted to discharge into Burns Waterway through Outfalls 004, 204, 304, and 500 by setting effluent limitations for Total Recoverable Chromium, Hexavalent Chromium, Whole Effluent Toxicity, Oil and Grease, and Temperature, as well as other pollutants.

63. One version of NPDES Permit No. IN0000337 was in effect from March 1, 2011 to February 28, 2016 (“2011 permit”). U.S. Steel renewed NPDES permit No. IN0000337 in 2016, which came into effect on April 1, 2016 and will remain in effect until March 31, 2021 (“2016 permit”). The 2011 permit is attached hereto as **Exhibit B**. The 2016 permit is attached hereto as **Exhibit C**. At all times relevant to this Complaint, U.S. Steel’s NPDES permit No. IN0000337 remained in effect, and the effluent limitations for the pollutants listed in ¶ 97 remained unchanged.

64. NPDES Permit No. IN0000337 describes Outfalls 004, 204, 304, and 500 at the U.S. Steel Midwest Plant, each of which are “point source[s]” within the meaning of Section 502 of the CWA, 33 U.S.C. § 1362(14). These outfalls are “point source[s]” within the meaning of Section 502 of the CWA because they are pipes from which pollutants are discharged into Burns Waterway.

65. Pursuant to Part I.C.2 of NPDES permit No. IN0000337, U.S. Steel is required to “submit federal and state discharge monitoring reports to the Indiana Department of Environmental Management containing results obtained during the previous month . . . no later than the 28th day of the month following each completed monitoring period.”

66. Pursuant to Part II.C.6.c of NPDES permit No. IN0000337, U.S. Steel is required to certify upon signing the monthly reports that the information is “to the best of [the signer’s] knowledge and belief, true, accurate, and complete.”

67. U.S. Steel’s monthly Discharge Monitoring Reports (“DMRs”) report chronic and frequent violations of NPDES permit No. IN0000337. According to DMRs that U.S. Steel filed within the five-year statute of limitations period for CWA claims, and pursuant to USEPA guidance on civil penalties, U.S. Steel has a total of ninety violations of its effluent limitations for Total Recoverable Chromium, Hexavalent Chromium, Whole Effluent Toxicity, Oil and Grease, and Temperature.

68. Specifically, U.S. Steel self-reported violations of the following pollutants within the five-year statute-of-limitations period:

TOTAL RECOVERABLE CHROMIUM

69. Chromium is a “pollutant” as defined by Section 502 of the CWA, 33 U.S.C. § 1362(6).

70. Total chromium includes both trivalent and hexavalent forms of chromium because it can convert between forms under different conditions. Hexavalent chromium, also known as chromium-6, has been linked to cancer in studies.

71. Both the 2011 permit and the 2016 permit contain a daily maximum quantity limit of 30 pounds per day of total recoverable chromium discharged from Outfall 304. The 2016

permit imposes a monthly average rate of 10 pounds per day of total recoverable chromium discharged from Outfall 304.

72. According to U.S. Steel's DMRs, U.S. Steel exceeded its (i) daily maximum quantity limit for total recoverable chromium four times within the five-year statute of limitations period and (ii) the monthly average rate for total recoverable chromium one time within the five-year statute of limitations period, for a total of thirty-four days of violation.

HEXAVALENT CHROMIUM

73. Hexavalent chromium is a "pollutant" as defined by Section 502 of the CWA, 33 U.S.C. § 1362(6).

74.

75. Both the 2011 permit and the 2016 permit contain a daily maximum quantity limit of 0.51 pounds per day of hexavalent chromium discharged from Outfall 304. The 2016 permit imposes a monthly average rate of 0.17 pounds per day of hexavalent chromium discharged from Outfall 304.

76. According to U.S. Steel's DMRs, U.S. Steel exceeded (i) its daily maximum quantity limit for hexavalent chromium three times within the five-year statute of limitations period and (ii) the monthly average rate for hexavalent chromium one time within the five-year statute of limitations period, for a total of thirty-three days of violation.

WHOLE EFFLUENT TOXICITY

77. Both the 2011 permit and the 2016 permit require U.S. Steel to conduct quarterly bioassay tests on model organisms to monitor the toxicity of the discharge from Outfall 004. If the effluent exceeds 1.5 chronic toxicity units (TU_c) during the tests on *Ceriodaphnia dubia*, this is considered to demonstrate chronic toxicity and constitutes a failure of the toxicity test.

78. Section 101(a)(3) of the CWA prohibits the discharge of “toxic pollutants in toxic amounts.” 33 U.S.C. § 1251(a)(3).

79. According to U.S. Steel’s DMRs, U.S. Steel failed the quarterly toxicity test on *C. dubia* three times during the five-year statute of limitations period for a total of three violations.

TEMPERATURE

80. Heat is a “pollutant” as defined by Section 502 of the CWA, 33 U.S.C. § 1362(6).

81. USEPA’s *Analysis and Control of Thermal Pollution Training Manual* states that even “temperatures which are not lethal to fish or shellfish may affect metabolism, reproduction and growth, as well as reduce important food organisms, thereby inducing a change in the balance of the entire system.”

82. All temperature limits are for Outfall 500, which measures the “combined effect of the [thermal] effluent from Outfalls 002, 003 and 004.” Both the 2011 permit and the 2016 permit mandate that “there shall be no rise in the temperature of the Portage-Burns Waterway of greater than 2°F, as determined from upstream temperature and downstream temperature at the edge of the mixing zone.” The 2016 permit defines the “mixing zone” as “the area of Portage-Burns Waterway extending laterally from Outfall 002 to one-half the width of Portage-Burns Waterway and to a distance of 300 feet downstream of Outfall 004.”

83. Both the 2011 permit and the 2016 permit mandate that during the months of December through March, the downstream temperature at the edge of the mixing zone may not exceed the maximum limit for the month by more than 3°F at any time. The relevant monthly maximums are: 57°F in December, 50°F in January, 50°F in February, and 60°F in March.

84. During the months of April through November, the downstream temperature may not exceed the limit for each month (subject to the below exceptions). For April, May,

September, October, and November, the limit for each month is 65°F; for June, July, and August, the limit for each month is 70°F.

85. The 2011 permit allows an exception to the above April-through-November limits when the upstream temperature equals or exceeds the maximum limitation for that day. The 2016 permit allows an exception to the above April-through-November limits when “the upstream temperature is within 2°F of the maximum limitation for that day.” This exception in the 2016 permit allows for downstream temperatures to exceed the limit for the month so long as the downstream temperature is within 2°F of the maximum limit for that day.

86. According to U.S. Steel’s DMRs, U.S. Steel exceeded the applicable daily-maximum downstream-temperature limit for Outfall 500 sixteen times, when no exception applied, within the five-year statute-of-limitations period. It also exceeded the daily-maximum receiving-water temperature-difference limit for Outfall 500 three times within the five-year statute-of-limitations period. Thus U.S. Steel had a total of nineteen temperature violations within the five-year statute-of-limitations period.

OIL AND GREASE

87. Oil and grease are “pollutants” as defined by Section 502 of the CWA, 33 U.S.C. § 1362(6).

88. The USEPA website states that petroleum and non-petroleum oils can “cause devastating physical effects, such as coating animals and plants with oil and suffocating them by oxygen depletion; be toxic and form toxic products; destroy future and existing food supplies, breeding animals, and habitats; produce rancid odors; foul shorelines, clog water treatment plants, and catch fire when ignition sources are present; and form products that linger in the environment for many years.”

89. Both the 2011 permit and the 2016 permit contain a daily maximum-quantity limit of 765 pounds per day of oil and grease discharged from Outfall 304.

90. According to U.S. Steel’s DMRs, U.S. Steel exceeded its daily maximum-quantity limit for oil and grease one time within the five-year statute-of-limitations period for a total of one violation.

TABLE OF QUANTITATIVE LIMIT VIOLATIONS

91. Each row of the following table sets forth an individual violation by U.S. Steel of a numeric permit violation, by describing the discharge type, violation date(s), outfall, measured value, allowance type, and relevant permit allowance.

Discharge Type	Date(s) of Violation	Outfall	Measured Value	Type of Allowance	Permit Allowance
Chromium, Total Recoverable	02/03/2013	304A	36.17 pounds per day (lbs/day)	Daily maximum	30 lbs/day
Whole Effluent Toxicity, Chronic – C. dubia	Week of 08/04/2013	004	2.0 TUc	Quarterly maximum	1.5 TUc (100/IC25)
Temperature, Downstream	05/26/2014	500A	65.66°F	Daily maximum	65°F
Temperature, Downstream	05/27/2014	500A	65.37°F	Daily maximum	65°F
Temperature, Downstream	05/29/2014	500A	66.25°F	Daily maximum	65°F
Whole Effluent Toxicity, Chronic – C. dubia	Week of 06/08/2014	004	2.9 TUc (100/NOEC) / 2.3 TUc (100/IC25)	Quarterly maximum	1.5 TUc (100/NOEC) / 1.5 TUc (100/IC25)
Whole Effluent Toxicity, Chronic – C. dubia	Week of 06/22/2014	004	2.9 TUc (100/NOEC) / 1.6 TUc (100/IC25)	Quarterly maximum	1.5 TUc (100/NOEC) / 1.5 TUc (100/IC25)
Temperature, Downstream	06/02/2014	500A	71.11°F	Daily maximum	70°F

Discharge Type	Date(s) of Violation	Outfall	Measured Value	Type of Allowance	Permit Allowance
Temperature, Downstream	06/03/2014	500A	70.64°F	Daily maximum	70°F
Temperature, Downstream	09/15/2014	500A	66.65°F	Daily maximum	65°F
Temperature Difference Receiving Water	10/01/2014	500A	7.55°F	Daily rise	2°F
Temperature, Downstream	10/02/2014	500A	66.73°F	Daily maximum	65°F
Oil & Grease	03/19/2015	304A	848 lbs/day	Daily maximum	765 lbs/day
Temperature, Downstream	10/07/2015	500A	65.6°F	Daily maximum	65°F
Temperature, Downstream	10/08/2015	500A	65.6°F	Daily maximum	65°F
Temperature, Downstream	10/09/2015	500A	65.1°F	Daily maximum	65°F
Temperature, Downstream	10/10/2015	500A	65.4°F	Daily maximum	65°F
Temperature, Downstream	10/22/2015	500A	65.7°F	Daily maximum	65°F
Temperature, Downstream	10/23/2015	500A	65.5°F	Daily maximum	65°F
Temperature Difference Receiving Water	09/07/2016	500A	2.1°F	Daily rise	2°F
Temperature Difference Receiving Water	11/02/2016	500A	2.1°F	Daily rise	2°F
Chromium, Hexavalent	01/12/2017	304A	2.371 lbs/day	Daily maximum	0.51 lbs/day
Temperature, Downstream	02/26/2017	500A	53.35°F	Daily maximum	50°F
Temperature, Downstream	02/27/2017	500A	53.93°F	Daily maximum	50°F
Temperature, Downstream	02/28/2017	500A	54.54°F	Daily maximum	50°F
Chromium, Total Recoverable	04/10/2017	304A	138.8 lbs/day	Daily maximum	30 lbs/day
Chromium,	04/11/2017	304A	204.0 lbs/day	Daily	30 lbs/day

Discharge Type	Date(s) of Violation	Outfall	Measured Value	Type of Allowance	Permit Allowance
Total Recoverable				maximum	
Chromium, Total Recoverable	April 2017	304A	13.97 lbs/day	Monthly average maximum	10 lbs/day
Chromium, Hexavalent	04/11/2017	304A	902.8 lbs/day	Daily maximum	0.51 lbs/day
Chromium, Hexavalent	04/12/2017	304A	1.782 lbs/day	Daily maximum	0.51 lbs/day
Chromium, Hexavalent	April 2017	304A	50.26 lbs/day	Monthly average maximum	0.17 lbs/day
Chromium, Total Recoverable	10/25/2017	304A	56.7 lbs/day	Daily Maximum	30 lbs/day

92. The February 3, 2013 Total Recoverable Chromium violation reflects the amount reported by U.S. Steel in the narrative cover letter it appended to its DMR submission. The DMR data that U.S. Steel reported for this day was 34.37 lbs/day, which would also violate the relevant permit limit.

93. The April 11, 2017 Hexavalent Chromium figure was submitted by U.S. Steel in its April 2017 DMR. U.S. Steel staff attested to the accuracy of this figure in certifying its submission. Nonetheless, U.S. Steel stated in a footnote that this figure represented “an absurd result” of the mathematical formula required by the permit. According to other reports U.S. Steel submitted to IDEM, during April 11 and 12, 2017, the facility released a total of approximately 346 pounds of total chromium, approximately 298 pounds of which was hexavalent chromium.

NARRATIVE WATER QUALITY PERMIT CONDITION VIOLATIONS

94. Pursuant to Part I.B. in both the 2011 permit and the 2016 permit, U.S. Steel is required to follow certain “Narrative Water Quality Standards.” These standards mandate that

the Midwest Plant's "[d]ischarge . . . shall not cause receiving waters, including the mixing zone, to contain substances, materials, floating debris, oil, scum or other pollutants . . . that are in amounts sufficient to be unsightly or deleterious . . . [or] that produce color, visible oil sheen, odor, or other conditions in such degree as to create a nuisance." The discharge must also not be "in amounts sufficient to be acutely toxic to, or to otherwise severely injure or kill aquatic life, or other animals, plants, or humans." Outside the mixing zone, the discharge must not contain "substances in concentrations which . . . are believed to be sufficient to injure, be chronically toxic to, or be carcinogenic, mutagenic, or teratogenic to humans, animals, aquatic life, or plants."

95. Upon information and belief, U.S. Steel has violated the Narrative Water Quality Standards in its permit. On the morning of April 11, 2017, U.S. Steel reported a bluish-green color in the effluent from Outfall 004.

96. Additionally, as reported in the relevant monthly DMRs and other reports made by U.S. Steel to IDEM, effluent discoloration was also observed one time in December 2013 and two times in April 2016. In all three cases prior to the April 2017 chromium incident, U.S. Steel reported white or cloudy discoloration observed at Outfall 004, and in all three cases, IDEM noted these events as violations.

97. Upon information and belief, the April 2017 discharge of hexavalent chromium also constitutes a violation of the permit condition forbidding water "outside the mixing zone, to contain substances in concentrations which on the basis of available scientific data are believed to be sufficient to injure, be chronically toxic to, or be carcinogenic, mutagenic, or teratogenic to humans, animals, aquatic life, or plants." The USEPA's Final Removal Report for this incident

describes observed concentrations of hexavalent chromium outside of the mixing zone as potentially harmful to human health.

**VIOLATIONS OF PERMIT CONDITIONS REQUIRING PROPER MAINTENANCE
AND APPROPRIATE RESPONSES TO DISCHARGE VIOLATIONS**

98. Pursuant to the 2016 permit, U.S. Steel “shall at all times maintain in good working order and efficiently operate all facilities and systems . . . for the collection and treatment which are installed or used by the permittee and which are necessary for achieving compliance with the terms and conditions of this permit.”

99. Based on publicly available data, U.S. Steel failed to meet maintenance obligations required by the permit. Photographs taken immediately after the April 2017 spill show extensive corrosion that allowed for the unpermitted discharge of chromium into Burns Waterway.

100. The IDEM inspection report following the April 2017 incident rated the facility’s “Operations and Maintenance” as “unsatisfactory” because of the equipment failure that led to the re-routing of toxic wastewater. Additionally, IDEM’s post-incident inspection rated “flow measurement” as “marginal” due to potential obstructions in the channels of two of the facility’s outfalls.

101. In February 2013, U.S. Steel attributed its excessive chromium discharge to control malfunctioning.

102. In March 2015, the Midwest Plant exceeded its permitted levels of oil and grease discharge because a loss of oil-processing capabilities led, according to U.S. Steel’s report, to “accumulation” of oil “during the week prior” that was either not detected or inadequately addressed.

103. In two separate but related incidents in April 2016, leaking oil was not properly contained and mingled with non-contact cooling water, leading to the discharge of untreated oil-contaminated water.

104. In October 2017, U.S. Steel discharged almost twice as much total chromium as its permit allows. According to U.S. Steel's report, a technician reported that a daily 24-hour composite sample for Outfall 204 was "discolored." Subsequent investigation revealed that flow through a lamella clarifier was not uniform "due to heavier solids buildup on one side of the lamella, and as a result there was excessive solids carryover."

105. According to IDEM, the technician discovered the October 2017 total chromium violation when, in the course of conducting routine sampling at Outfall 204, the technician observed that the discharge was "blue with visible solids."

106. Pursuant to the 2016 permit, in the event of an unauthorized release or discharge, including any spill, leak or discharge of non-stormwater not authorized by the permit, U.S. Steel must "take all reasonable steps to minimize or correct any adverse impact to the environment resulting from noncompliance with [the] permit," including by conducting accelerated or additional monitoring to determine the nature and impact of the noncompliance.

107. According to IDEM, U.S. Steel failed to take reasonable steps to minimize or correct the October 2017 illegal total chromium discharge because U.S. Steel failed to perform monitoring necessary to determine how much of that illegal discharge was comprised of hexavalent chromium. IDEM described such monitoring as necessary because the discharge was "blue with visible solids."

108. These documented maintenance failures indicate a pervasive and persistent failure by U.S. Steel to maintain the Midwest Plant in good working order as necessary to comply with the limitations and conditions of its NPDES permit.

109. Upon information and belief, U.S. Steel's failure in performing its maintenance responsibilities at the Midwest Plant are not limited to the single days on which the above consequences of such failures were observed. These observed and reported incidents indicate that U.S. Steel continues not to maintain properly the Midwest Plant.

REPORTING AND MONITORING VIOLATIONS

110. Both the 2011 permit and the 2016 permit contain conditions that impose various reporting and monitoring obligations upon U.S. Steel.

111. Pursuant to Part III.A.8 of both the 2011 permit and the 2016 permit, U.S. Steel is required to list the calculated temperature difference between the daily maximum upstream and daily maximum downstream temperature.

112. Pursuant to Special Condition [5] to Parts I.A.4–5 of the 2016 permit, U.S. Steel is required to submit a certification statement in lieu of quarterly monitoring for Total Toxic Organics.

113. Pursuant to Part I.A.7 of the 2011 permit, U.S. Steel is required to conduct quarterly monitoring of stormwater runoff from Outfalls 001, 102, and 103. Per Special Condition [3], U.S. Steel is allowed to conduct the sampling during any month in the quarter, but “the result from this reporting timeframe shall be reported on the [quarterly final month] DMR, regardless of which of the months within the quarter the sample was taken.”

114. Pursuant to Parts I.A.4–5 of the 2016 permit, U.S. Steel is required to monitor the pollutants Total Cyanide, Total Recoverable Zinc, Total Recoverable Chromium, Total Suspended Solids, and Oil & Grease five times per week for Outfalls 204 and 304.

115. Each row in the following table represents an individual violation by U.S. Steel of a reporting or monitoring requirement in the 2011 permit or the 2016 permit, by setting forth the discharge type, date(s) of violation, outfall, description of the violation, and the type of violation:

Discharge Type	Date(s) of Violation	Outfall	Description of Violation	Type of Violation
	December 2012		No quarterly testing was conducted in this month	Not conducted as required
	June 2013		Required quarterly testing data missing	Not reported as required
Temperature	10/01/2014	500A	7.55 °F temperature difference reported as a 2 °F difference	Incorrectly calculated temperature difference
Temperature	01/06/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/07/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/09/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/10/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/15/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/16/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/20/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/21/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	01/22/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	04/23/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	04/24/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	06/07/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference

Discharge Type	Date(s) of Violation	Outfall	Description of Violation	Type of Violation
Temperature	06/09/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	06/22/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	06/26/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	06/28/2016	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	08/19/16	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	08/20/16	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Temperature	08/21/16	500A	2 °F difference reported as 1 °F difference	Incorrectly calculated temperature difference
Total Toxic Organics	October 2016		Missing Total Toxic Organic Certification	
Total Suspended Solids, Oil & Grease, Cyanide, Zinc, and Chromium	December, 2016	204A, 304A	Inadequate monitoring frequency (should be 5/week) * Note: This constitutes ten independent monitoring violations as each pollutant must be monitored at each outfall.	5 days in a row without tests (6 days in a row without a test for cyanide)

116. Every instance in which U.S. Steel violated its obligation to report accurately the temperature difference involved U.S. Steel under-reporting the temperature difference, including one time in which it reported a 7.55°F temperature difference as a 2°F difference.

STORMWATER ROUTING VIOLATIONS

117. Pursuant to the 2016 permit, certain stormwater management practices that the 2011 permit authorized are currently disallowed. Specifically, the 2016 permit no longer allows Outfall 004 to discharge stormwater runoff, whereas the 2011 permit allowed for stormwater discharges to be routed through Outfall 004.

118. The fact sheet attached to the 2016 permit indicates that Outfall 004 continues to handle stormwater runoff from over twenty-five acres of industrial property. If the Midwest Plant is continuing to route stormwater through Outfall 004, then U.S. Steel has been committing ongoing permit violations every day—or at least every rainy day on which it has discharged stormwater—since the issuance of the 2016 permit.

119. In sum, the allegations in this Complaint are based on publicly available information. Additional information, including information in U.S. Steel’s possession, may reveal additional violations, and the City expressly reserves the right to amend this Complaint to reflect, or to otherwise introduce evidence of, any additional violations discovered hereafter through discovery in this litigation or otherwise.

FIRST CLAIM FOR RELIEF

Pollutant Discharges in Violation of the Permit and the CWA

120. Paragraphs 1 through 119 are realleged and incorporated herein by reference.

121. At all times relevant to this Complaint, U.S. Steel has discharged and continues to “discharge” “pollutants” within the meaning of Section 502 of the CWA, 33 U.S.C. § 1362, into Burns Waterway.

122. U.S. Steel’s pollutant discharges are discharges from a “point source” into “navigable waters” of the United States within the meaning of Section 502 of the CWA, 33 U.S.C. § 1362.

123. Burns Waterway and Lake Michigan are “navigable waters” within the meaning of Section 502(7) of the CWA, 33 U.S.C. § 1362(7).

124. Between November 13, 2012 and November 13, 2017, U.S. Steel self-reported ninety violations of the effluent limitations contained in its permit. These ninety violations

included excessive discharges of Total Recoverable Chromium, Hexavalent Chromium, Oil & Grease, and Temperature and violations of Whole Effluent Toxicity standards.

125. Each of U.S. Steel's ninety permit violations constitutes a violation of Section 301 of the CWA, 33 U.S.C. § 1311, and is actionable under Section 505 of the CWA, 33 U.S.C. § 1365(a)(1).

126. Based on U.S. Steel's ongoing violations of its permit, U.S. Steel will continue to discharge in violation of Section 301 of the CWA, 33 U.S.C. § 1311, unless enjoined by this Court.

127. Pursuant to Sections 309 and 505 of the CWA, 33 U.S.C. §§ 1319 and 1365, and 40 C.F.R. §§ 19.1-19.4, U.S. Steel is liable for injunctive relief and civil penalties of up to \$37,500 per day for each of the nineteen violations occurring from January 12, 2009 through November 2, 2015 and \$52,414 per day for each of the seventy-one violations occurring after November 2, 2015. 33 U.S.C. §§ 1311, 1365; 40 C.F.R. §§ 19.1-19.4.

SECOND CLAIM FOR RELIEF

Violations of Narrative Water Quality Standards in the Permit and the CWA

128. Paragraphs 1 through 127 are realleged and incorporated herein by reference.

129. Part I.B in both the 2011 permit and the 2016 permit prohibit U.S. Steel from violating certain "Narrative Water Quality Standards."

130. U.S. Steel has violated the Narrative Water Quality Standards in its permit on at least four occasions according to U.S. Steel's DMRs for the months covering April 2017, December 2013, and April 2016 (describing two violations).

131. Each of U.S. Steel's four narrative water quality violations constitutes a violation of a condition or limitation of NPDES permit No. IN0000337 and Section 301 of the CWA, 33 U.S.C. § 1311, and is actionable under Section 505 of the CWA, 33 U.S.C. § 1365(a)(1).

132. Pursuant to Sections 309 and 505 of the CWA, 33 U.S.C. §§ 1319 and 1365, and 40 C.F.R. §§ 19.1-19.4, U.S. Steel is liable for injunctive relief and civil penalties of up to \$37,500 per day for the violation that occurred between January 12, 2009 and November 2, 2015 and \$52,414 per day for each of the three violations occurring after November 2, 2015. 33 U.S.C. §§ 1311, 1365; 40 C.F.R. §§ 19.1-19.4.

THIRD CLAIM FOR RELIEF

Failures to Maintain Equipment or to Respond as Required to Permit Violations in Violation of the CWA

133. Paragraphs 1 through 132 are realleged and incorporated herein by reference.

134. Pursuant to the 2016 permit, U.S. Steel "shall at all times maintain in good working order and efficiently operate all facilities and systems . . . for the collection and treatment which are installed or used by the permittee and which are necessary for achieving compliance with the terms and conditions of this permit."

135. As described above, on at least six occasions, U.S. Steel failed to maintain properly the Midwest Plant to such a degree as to lead directly to violations of other permit limitations or conditions.

136. Pursuant to the 2016 permit, in the event of an unauthorized release or discharge, including any spill, leak or discharge of non-stormwater not authorized by the permit, U.S. Steel must "take all reasonable steps to minimize or correct any adverse impact to the environment resulting from noncompliance with the permit," including by conducting accelerated or additional monitoring to determine the nature and impact of the noncompliance.

137. As described herein, U.S. Steel failed to minimize the adverse impact of its October 2017 illegal chromium discharge by failing to perform appropriate additional monitoring for hexavalent chromium.

138. Each of U.S. Steel's six observed maintenance violations, as well as its additional failure to minimize the adverse impacts of its October 2017 total chromium violation, constitutes a violation of a condition or limitation of NPDES permit No. IN0000337 and Section 301 of the CWA, 33 U.S.C. § 1311, and is actionable under Section 505 of the CWA, 33 U.S.C. § 1365(a)(1).

139. Because U.S. Steel must meet the maintenance obligations in NPDES permit No. IN0000337 at all times, U.S. Steel has been in violation of maintenance requirements continuously for the entire time period relevant to this Complaint, punctuated by the incidents alleged herein to have been caused by such ongoing maintenance failure.

140. Pursuant to Sections 309 and 505 of the CWA, 33 U.S.C. §§ 1319 and 1365, and 40 C.F.R. §§ 19.1-19.4, U.S. Steel is liable for injunctive relief and civil penalties of up to \$37,500 per day for each violation occurring from January 12, 2009 through November 2, 2015 and \$52,414 per day for each violation occurring after November 2, 2015. 33 U.S.C. §§ 1311, 1365; 40 C.F.R. §§ 19.1-19.4.

FOURTH CLAIM FOR RELIEF

Failure to Report or Monitor in Violation of the Permit and the CWA

141. Paragraphs 1 through 140 are realleged and incorporated herein by reference.

142. According to U.S. Steel's DMRs, U.S. Steel incorrectly calculated the difference between daily maximum downstream and daily maximum upstream temperatures, which is

required to be accurately reported under Part III.A.8 of both the 2011 permit and the 2016 permit, twenty times during the five-year statute of limitations period.

143. According to U.S. Steel's DMRs, U.S. Steel failed to attach the certification statement for 2016 Q3 (July-September), which is required to be submitted under Special Condition [5] to Parts I.A.4-5 of the 2016 permit, which constitutes a permit violation during the five-year statute of limitations period.

144. According to U.S. Steel's DMRs, U.S. Steel failed to report the quarterly monitoring results in the final month of 2012 Q4 (December) and 2013 Q2 (June), as required by Part I.A.7 of the 2011 permit, which constitutes two permit violations during the five-year statute of limitations period.

145. According to U.S. Steel's DMRs, U.S. Steel did not monitor for the pollutants Total Cyanide, Total Recoverable Zinc, Total Recoverable Chromium, Total Suspended Solids, and Oil & Grease for at least five consecutive days at Outfalls 204 and 304 in December 2016, making it impossible to comply with the five times per week monitoring requirement under Parts I.A.4-5 of the 2016 permit. This monitoring failure constitutes ten total permit violations—one for each pollutant at each Outfall.

146. Each of U.S. Steel's thirty-three monitoring or reporting violations constitutes a violation of a condition or limitation of NPDES permit No. IN0000337 and Section 301 of the CWA, 33 U.S.C. § 1311, and is actionable under Section 505 of the CWA, 33 U.S.C. § 1365(a)(1).

147. Pursuant to Sections 309 and 505 of the CWA, 33 U.S.C. §§ 1319 and 1365, and 40 C.F.R. §§ 19.1-19.4, U.S. Steel is liable for injunctive relief and civil penalties of up to \$37,500 per day for each of the three violations occurring from January 12, 2009 through

November 2, 2015 and \$52,414 per day for each of the thirty violations occurring after November 2, 2015. 33 U.S.C. §§ 1311, 1365; 40 C.F.R. §§ 19.1-19.4.

FIFTH CLAIM FOR RELIEF

Stormwater Routing in Violation of the Permit and the CWA

148. Paragraphs 1 through 147 are realleged and incorporated herein by reference.

149. Pursuant to the 2016 permit, certain stormwater management practices that the 2011 permit authorized are currently disallowed. Specifically, the 2016 permit no longer allows Outfall 004 to discharge stormwater runoff, whereas the 2011 permit allowed for stormwater discharges to be routed through Outfall 004.

150. The fact sheet attached to the 2016 permit indicates that Outfall 004 continues to handle stormwater runoff from over twenty-five acres of industrial property. If the Midwest Plant is continuing to route stormwater through Outfall 004, then U.S. Steel has been committing ongoing permit violations every day—or at least every rainy day on which it has discharged stormwater—since the issuance of the 2016 permit.

151. Each of U.S. Steel's potential stormwater violations constitutes a violation of NPDES permit No. IN0000337 and Section 301 of the CWA, 33 U.S.C. § 1311, and is actionable under Section 505 of the CWA, 33 U.S.C. § 1365(a)(1).

152. Pursuant to Sections 309 and 505 of the CWA, 33 U.S.C. §§ 1319 and 1365, and 40 C.F.R. §§ 19.1-19.4, U.S. Steel is liable for injunctive relief and civil penalties of up to \$52,414 per day for each violation occurring after November 2, 2015. 33 U.S.C. §§ 1311, 1365; 40 C.F.R. §§ 19.1-19.4.

SIXTH CLAIM FOR RELIEF

Negligence

153. Paragraphs 1 through 152 are realleged and incorporated herein by reference.

154. U.S. Steel has a duty of reasonable care not to discharge toxic pollutants, including hexavalent chromium, into Lake Michigan in violation of its NPDES permit.

155. U.S. Steel breached its duty of reasonable care to not illegally discharge hexavalent chromium into Lake Michigan in violation of its NPDES permit.

156. U.S. Steel's discharge of hexavalent chromium into Lake Michigan was the direct and proximate cause of the City incurring costs in excess of \$75,000, the exact amount to be proven at trial, to sample, monitor, and assess the threat posed to the City's drinking water supply from U.S. Steel's illegal discharge of hexavalent chromium.

PRAYER FOR RELIEF

WHEREFORE, the City respectfully request that this Court:

A. Declare that U.S. Steel is in violation of the CWA and NPDES permit No. IN0000337;

B. Enjoin U.S. Steel from discharging pollutants from its facility into Burns Waterway unless and only to the extent authorized by NPDES permit No. IN0000337;

C. Order U.S. Steel to complete expeditiously all actions necessary to ensure that it complies with its permits and all applicable requirements of the CWA;

D. Order U.S. Steel to provide written notice to the City of any illegal discharge by U.S. Steel's Midwest Plant into Lake Michigan within one hour of the time of the illegal discharge;

